

Safety Data Sheet

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II (453/2010) - Europe

Issue 2
Revision 22 November 2016
Replaces Issue 1

Adamatic Destainer

1 Identification of the substance/mixture and of the company undertaking

1.1 Product Identifier

Product Name Adamatic Destainer
Product Codes 3013

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Uses of the substance/mixture Chlorinated Tannin Remover. Professional Use.
Uses advised against None Identified

1.3 Details of the supplier of the safety data sheet

Manufacturer/Distributor RP Adam Ltd (Arpal Group) Tel. +44 (0) 1750 23780
North Riverside Business Park, Fax. +44 (0) 1750 21506
Riverside Road, email salesinfo@rpadam.co.uk
Selkirk, TD7 5DU, United Kingdom

1.4 Emergency Telephone Number

01750 23780 (office hours 0830hrs to 1700hrs Monday to Friday)

Emergency Action: In the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department, who may seek advice from the UK National Poisons Information Service, where our full product details are held.

2 Hazards Identification

2.1 Classification of Substance or mixture

Product Definition Mixture

Classification according to Regulation (EC) No. 1272/2008

Physical Hazards No Significant Hazard
Human Health Hazards Skin Corr 1 – H314
Environmental Hazards Aqua Chronic 2 – H411

2.2 Label Elements

Label Elements (Label In Accordance With (EC) No. 1272/2008)

Pictogram(s)



Signal Word

Danger
Contains Disodium Metasilicate

Hazard Statements

H314 Causes severe skin burns and eye damage.
H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements

Prevention

P280 Wear protective gloves, protective clothing, and eye or face protection

Response

P303 + P361 + P353 IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTRE or doctor

2.3 Other hazards

Other hazards which do not result in classification Not applicable

Safety Data Sheet

Page 2 of 6

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II (453/2010) - Europe

Adamatic Destainer

Issue 2
Revision 22 November 2016
Replaces Issue 1

3 Composition/Information on Ingredients*

3.2 Mixtures

Product/Ingredient Name	Identifiers Index No/CAS No/EC No	%	Classification Regulation (EC) No. 1272/2008 [CLP]	Type
Sodium Carbonate	011-005-00-2 497-19-8 207-838-8	>60	Eye Irrit. 2 (H319)	1
Disodium Metasilicate	014-010-00-8 6834-92-0 229-912-9	10-30	Met. Corr. 1 (H290) Skin Corr. 1B (H314) STOT SE 3 (H335)	1
Troclosene Sodium, Dihydrate	613-030-01-7 51580-86-0 610-700-3	1-10	Acute Tox 4 (H302) Eye Irrit 2 (H319) STOT SE 3 (H335) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	1 2

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section

Type	1	Substance classified with a health or environmental hazard
	2	Substance with a workplace exposure limit
	3	Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
	4	Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

Occupational exposure limits, if available, are listed in Section 8.

4 First aid measures

4.1 Description of first aid measures

Eye Contact	Rinse immediately with copious amounts of water for at least 10 minutes, holding the eyelids open. If irritation occurs obtain medical advice.
Inhalation	Remove from source of exposure. Seek medical advice if symptoms persist. Exposure by inhalation is unlikely in normal use.
Skin Contact	Flush contaminated area with running water for 10 minutes, remove any contaminated clothing and launder before re-use. If irritation persists or there is any sign of skin damage seek medical advice.
Ingestion	If conscious, remove product from mouth, give casualty a small quantity of water or milk to drink and seek medical advice. Do not induce vomiting
Protection of First Aider	Wear PPE if appropriate (Refer to section 8.2)

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11. Severe burns and irritation are most likely symptoms when there is exposure to skin, eyes and respiratory system. Not considered to cause sensitization. Further important symptoms and effects are so far not known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment

Treat according to symptoms (decontamination, vital functions). Toxicological information on components, where available, is given in section 11.

Safety Data Sheet

Page 3 of 6

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II (453/2010) - Europe

Adamatic Destainer

Issue 2
Revision 22 November 2016
Replaces Issue 1

5 Fire fighting measures

5.1 Extinguishing media

Extinguishing media	Extinguish with foam, carbon dioxide, dry powder or water fog
Unsuitable extinguishing media	None known

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture	In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	During fire toxic gases, CO and CO ₂ are formed

5.3 Advice for fire-fighters

Special precautions for fire-fighters	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	Fire-fighters should wear self-contained breathing apparatus and suitable personal protective equipment as appropriate to the surrounding fire.

6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe dust. Avoid contact with the skin, eyes and clothing. Use personal protective clothing. Information regarding personal protective measures see, section 8.

6.2 Environmental precautions

Do not discharge into drains/surface waters/groundwater. Contain contaminated water/fire fighting water.

6.3 Methods and material for containment and cleaning up

Small spill:	Sweep up material and place in an appropriate waste disposal container for disposal according to local regulations (see section 13).. Wash affected area with water.
Large spill	Prevent entry into sewers, water courses, basements or confined areas. Sweep up material and place in an appropriate waste disposal container. Wash affected area with water and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

See Section 1 for emergency contact information.
See Section 8 for information on appropriate personal protective equipment.
See Section 13 for additional waste treatment information.

7 Handling and storage

7.1 Precautions for safe handling

Keep container tightly closed. Provide good ventilation of working area (local exhaust ventilation if necessary). Avoid contact with the skin, eyes and clothing. Contaminated surfaces may be extremely slippery. Clean up spillages. Do not eat, drink or smoke in area where material is used or stored.

7.2 Conditions for safe storage, including any incompatibilities

Protect against heat. Store in original labelled containers. Keep container tightly closed, upright and in a cool place. Keep away from acids. Protect from freezing.

7.3 Specific end use(s)

Recommendations	Not specific advice available.
Industrial sector specific solutions	Not applicable.

Safety Data Sheet

Page 4 of 6

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II (453/2010) - Europe

Adamatic Destainer

Issue 2
Revision 22 November 2016
Replaces Issue 1

8 Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Product/ingredient name

Troclosene Sodium, Dihydrate

Exposure limit values

MEL Short Term 0.07 mgm⁻³ Short Term 0.02 mgm⁻³

Derived effect levels

No DNELs available for the mixture

Predicted effect concentrations

No PNECs available for the mixture.

8.2 Exposure controls

Process conditions

Provide eye-wash stations

Engineering Measures

Wear appropriate PPE if contact is possible when opening tubs and dispensing powder. If airborne dusts are generated provide adequate general and local exhaust ventilation to keep exposure below any statutory limits.

Personal Protective Equipment

Respiratory protection:

Not needed in normal use. If dust is created use particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 14387)

Hand protection

Wear chemical resistant protective gloves (EN 374)

Review condition of gloves when in use, especially for wear, cuts and breakthrough after prolonged contact.

Eye protection

Consult with a supplier of protective gloves for further information or for other tasks.

Not needed in normal use. Wear tightly fitting safety goggles (splash goggles) (e.g. EN 166) if dust is likely to be produced.

Body protection:

Wear chemical resistant clothing and boots if exposure may occur. Other body protection may be suitable depending on activity and possible exposure, e.g. apron, chemical-protection suit (meeting EN 14605).

General safety and hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing.

9 Physical & chemical properties

9.1 Information on basic physical and chemical properties

Physical state

Free flowing powder

Colour

White.

Odour

Slight chlorine

Odour threshold

Not determined for the mixture.

pH value 20 Deg C

11.5-12.5 @ 2%

Melting point/Freezing point

Not determined for the mixture.

Initial boiling point and boiling range

Not determined for the mixture.

Flash point

Not determined for the mixture.

Evaporation rate

Not determined for the mixture.

Flammability (solid, gas)

Not flammable.

Burning time

Not determined for the mixture.

Burning rate

Not determined for the mixture.

Upper/lower flammability or explosive limits

Not determined for the mixture.

Vapour pressure

Not determined for the mixture.

Relative density

0.900-1.200

Solubility(ies)

Readily soluble in cold and hot water

Partition coefficient: n-octanol/water

Not determined for the mixture.

Auto ignition temperature

Not determined for the mixture.

Decomposition temperature

Not determined for the mixture.

Viscosity

Not determined for the mixture.

Explosive properties

Not explosive

Oxidising properties

None

9.2 Other Information

No further relevant information available

Safety Data Sheet

Page 5 of 6

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II (453/2010) - Europe

Adamatic Destainer

Issue 2
Revision 22 November 2016
Replaces Issue 1

10 Stability and Reactivity

10.1 Reactivity	No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical Stability	Stable mixture under normal conditions or storage and use.
10.3 Possibility of hazardous reactions	Hazardous reactions will not occur in normal storage conditions.
10.4 Conditions to avoid	None known in normal storage conditions.
10.5 Incompatible materials	Will react with acids.
10.6 Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11 Toxicology

11.1 Information on toxicological effects

Toxicological data for this mixture is not available as animal toxicity studies have not been carried out. Toxicological data for the raw materials is, where provided by the manufacturer, available on request.

12 Ecological information

12.1 Toxicity

Ecological Toxicity data for this mixture is not available as ecological toxicity studies have not been carried out. Ecological Toxicity data for the raw materials is, where provided by the manufacturer, available on request.

12.2 Persistence and degradability

Conclusion/Summary Any surfactants contained in the product are biodegradable according to the requirements of the detergent regulation 648/2004/EC

12.3 Bioaccumulative potential

Conclusion/Summary Not determined for the mixture.

12.4 Mobility in soil

Soil/water partition coefficient (KOC) Not determined for the mixture.

Mobility Not determined for the mixture.

12.5 Results of PBT and vPvB assessment

PBT Not applicable.

vPvB Not applicable.

12.6 Other adverse effects No known significant effects or critical hazards.

13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused products Dispose of in compliance with all Federal, state, provincial, and local laws and regulations.
EWC Code 20 01 29* - detergents containing dangerous substances

Empty packaging recommendation: Dispose of observing national or local regulations. (Can be cleaned with water)
EWC Code 20 01 39

Safety Data Sheet

Page 6 of 6

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II (453/2010) - Europe

Adamatic Destainer

Issue 2
Revision 22 November 2016
Replaces Issue 1

14: Transport information*

	ADR/RID	ADN/ADNR	IMDG	IATA
14.1 UN number		UN 3253		
14.2 UN proper shipping name		Disodium Trioxosilicate		
14.3 Transport hazard class(es):		 		
14.4 Packing group		III		
14.5 Environmental hazards		Yes		
14.6 Special precautions for user		None known		
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBCCode		Not Applicable		
Other relevant information (ADR)	Tunnel Code 3 Transport Category 3			

15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture	
Ingredients according to EC Detergents Regulation 648/2004	
15-30%	Phosphates
5-15%	Chlorine based bleaching agents
15.2 Chemical safety assessment	
A chemical safety assessment has not been carried out on the mixture	

16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

Reason for revision: Overall design adjusted in accordance with Regulation (EC) No 1907/2006, Annex II
* Indicates section(s) where changes have been made

Full text of the H and EUH phrases mentioned in section 3

H319	Causes serious eye irritation
H290	May be corrosive to metals
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H410	Very toxic to aquatic life with long lasting effects
H302	Harmful if swallowed
H335	May cause respiratory irritation

Abbreviations and acronyms

ATE	Acute Toxicity Estimate
CLP	Classification, Labelling and Packaging Regulation [Regulation (EC) No.1272/2008]
DNEL	Derived No Effect Level
EUH statement	CLP-specific Hazard statement
N/A	Not Applicable
PNEC	Predicted No Effect Concentration
REACH No	REACH registration number, without supplier specific part