

MATERIAL SAFETY DATA SHEET

In accordance with 93 / 112 / EEC

FUSION AIR FRESHENER

Date of issue: 10/12/2005

Revision on 31/7/2015 Revision no: 5

01. Identification of the substance / preparation and of the company

Unit 23

1 Amber Business Centre

Hill Top Road

Riddings

Alfreton

Derbyshire

DE55 4BR

Tel: 0800 0542484

Fax: 0845 2710526

Email:

info@directimportsuk.co.u

k

Web:

www.directimportsuk.co.u

k

02. Composition / Information on Ingredients :

A-Odorless gas(LPG): PROPANE/BUTANE

Specific Gravity	: 0,55	±0,15
Raid Vapor Pressure (37,8°C)	: 6,00	±0,5 kg/cm ²
Vapor Pressure (20°C)	: 3,3	±0,14 kg/cm ²
%95 Boiling Point	: +3 max	
Volatile Sulphure	: 200	±100 mg/m ³
Copper Strip Corrosion	: 1,0 max	
Free Water Content	: None	
Propane % mol	: 40 max	

03. Hazards Identification

R12: Extremely flammable. R36/37/38: Irritating to eyes and respiratory system.

R42: May cause sensitization by inhalation

04. First Aid Measures

General Information

Inhalation

Remove the casualty into fresh air and keep him calm.

In the event of symptoms refer for medical treatment

Eye Contact

In case of contact with eyes rinse thoroughly with plenty of water and seek medical advice.

Ingestion

Not applicable.

Advice to doctor / treatment

Treat symptomatically

MATERIAL SAFETY DATA SHEET

In accordance with 93 / 112 / EEC

FUSION AIR FRESHENER

Date of issue: 10/12/2005 Revision on:23/03/09 Revision no:2

05.Fire-Fighting Measures

Extinguishing media that must not be used for safety reasons

Full water jet

Special exposure hazards arising from the substance or preparation itself or combustion products

No

Special protective equipment for firefighters

Do not inhale explosion and/or combustion of gases.

Wear full protective suit and self contained breathing apparatus.

Additional information

Fire residues and contaminated fire fighting water must be disposed of in accordance with the local regulations.

06.Accidental Release Measures

Personal precautions

Ensure adequate ventilation

Keep away sources of ignition

Environmental precautions

Not applicable

Methods for cleaning up / taking up

Dispose as plastic waste (foam plastic) in accordance with all applicable guidelines and regulations. Before disposing of containers, relieve container of any remaining spray and pressure.

Allow spray to fully cure before disposing.

07.Handling and storage

Advice on safe handling

Handle with care - avoid shock, friction and impact.

Advice on protection against fire and explosion

Emergency cooling must be provided for the eventuality of a fire in the vicinity.

Keep away from sources of ignition - refrain from smoking

Requirements for storage rooms and vessels

Store in a cool and dry place

Advise on storage compatibility

Do not store with oxidizing agents. Do not store with combustible materials.

Further information on storage conditions

Protect from heat / overheating

Keep in a cool place, heat causes increase in pressure and risk of bursting.

MATERIAL SAFETY DATA SHEET

In accordance with 93 / 112 / EEC

FUSION AIR FRESHENER

Date of issue: 10/12/2005 Revision on:23/03/09 Revision no:2

08.Physical and Chemical Properties

Form	Aerosol	Lower explosion limit	-
Colour	as the same colour perfume	Upper explosion limit	-
Odour	Characteristic	Combustible properties	Not applicable
Melting Point	-	Vapor pressure, 20°C	-
Boiling Point	-	Density	1,00 +/- 0,25
Flammability	Flammable	Solubility in water	soluble
Auto ignition temperature	-	Partition coefficient:n-octanol / water	-
Viscosity	-		

9.Stability and reactivity

Hazardous reactions

Risk of bursting.

Hazardous decomposition products

No hazardous decomposition products known

MATERIAL SAFETY DATA SHEET

In accordance with 93 / 112 / EEC

FUSION AIR FRESHENER

Date of issue: 10/12/2005 Revision on:23/03/09 Revision no:2

10. Disposal Considerations

Disposal / product

Dispose of as hazardous waste

Disposal / contaminated packaging

Packaging that can not be cleaned should be disposed of as for product

11. Toxicological information

Acute toxicology: ORAL(LD 50)Greater than 4 g / kg (rat)

Effects of chronic Exposure: Not Available.

Other Toxic Effects: Not Available.

12. Ecological information:

Not Available

13. Transport Information

Land transport ADR/RID

Class/Division/Group	:	2	5	A
Hazard-no	:			
UN-No	:	1950		
ADR-exceptions	:	Rn2201a		
Description	:	Aerosols		

Inland waterways transport

Class	:	2.1		
UN-Nr	:	1950		
Packing Group	:			
EmS	:	2-13		
MFAG	:	4.2		
Marine	:			
Proper shipping name	:	Aerosols		

<u>Air transport/ICAO/IATA-DGR</u>				
Class	:	2.1		
UN-Nr	:	1950		
Proper shipping name	:	Aerosols, 20		

MATERIAL SAFETY DATA SHEET

In accordance with 93 / 112 / EEC

FUSION AIR FRESHENER

Date of issue: 10/12/2005 Revision on:23/03/09 Revision no:2

14 - Regulatory Information

Labelling

The product is classified and labelled in accordance with EC directives / regulations on dangerous

Hazard symbols

F+



R phrases

R12: Extremely flammable R36/37/38: Irritating to eyes, respiratory system and skin.

R42: May cause sensitization by inhalation.

S Phrases

S2 : Keep out of the reach of children

Special labelling for certain preparations

Container is under pressure. Protect from sun and temperatures above 50°C.

Do not open with force or incinerate even after use.

Do not spray against an open flame or glowing hot objects. Keep away from sources of ignition-No smoking

Observe manufacturer's instructions.

15- National Regulations

Restriction of occupation	yes
Decree for case of interference, observe limits	yes
Classifications according to Vbf	Not applicable
Classifications according to TA-Luft	2 3.1.7
Water hazard class	WGK 2
Water hazard class / source	
WASTE NO.	351 06
Other regulations, restrictions and prohibition regulations	
TRG 300 (Aerosol)	

MATERIAL SAFETY DATA SHEET

In accordance with 93 / 112 / EEC

FUSION AIR FRESHENER

Date of issue: 10/12/2005 Revision on:23/03/09 Revision no:2

16-Other Information

The information and recommendations set forth herein are presented in good faith and believed to be correct as of the date hereof. The manufacturer makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving it will make their own determination as to its suitability for their purposes prior to use. In no event will the manufacturer be responsible for damages of any nature whatsoever resulting from the use of or reliance upon information. No representatives or warranties, either expressed or implied, of merchantability or fitness for a particular use are made hereunder with respect to this information or the product to which information refers.