



## SAFETY DATA SHEET CLEANLINE THICK BLEACH 5L

Commission Regulation (EU) No 2015/830 of 28 May 2015.

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

<b>Product name</b>	CLEANLINE THICK BLEACH 5L
<b>Product number</b>	800-116-4001
<b>Internal identification</b>	CL3014
<b>Container size</b>	5L
<b>UFI</b>	UFI: PHK2-EWA1-DH7Y-76XP

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

<b>Identified uses</b>	Cleaning agent. Disinfectant.
<b>Uses advised against</b>	Use only for intended applications.

#### 1.3. Details of the supplier of the safety data sheet

<b>Supplier</b>	PrimeSource, PO BOX 15247, Birmingham, B23 3HN, Tel: +44 (0) 8085 749 312
	PrimeSource, Unit D9, Horizon Logistics Park, Swords, Co.Dublin, K67 N4T2, Ireland - Tel: +353 (0)1 630 1800 info@prime-source.co.uk

**Contact person** For content of safety data sheet:, info@prime-source.co.uk or TEL: – 08085 749312

#### 1.4. Emergency telephone number

<b>Emergency telephone</b>	Prime Source: 01865 407333 - FOR MEDICAL EMERGENCY USE ONLY
<b>National emergency telephone number</b>	In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification (EC 1272/2008)

<b>Physical hazards</b>	Met. Corr. 1 - H290
<b>Health hazards</b>	Skin Corr. 1C - H314 Eye Dam. 1 - H318
<b>Environmental hazards</b>	Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411

## CLEANLINE THICK BLEACH 5L

### 2.2. Label elements

#### Hazard pictograms



#### Signal word

Danger

#### Hazard statements

H314 Causes severe skin burns and eye damage.  
 H400 Very toxic to aquatic life.  
 H411 Toxic to aquatic life with long lasting effects.  
 H290 May be corrosive to metals.

#### Precautionary statements

P273 Avoid release to the environment.  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
 P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P310 Immediately call a POISON CENTER/ doctor.  
 P405 Store locked up.  
 P501 Dispose of contents/ container in accordance with national regulations.

#### Supplemental label information

EUH206 Warning! Do not use together with other products. May release dangerous gases (chlorine).

#### UFI

UFI: PHK2-EWA1-DH7Y-76XP

#### Contains

SODIUM HYPOCHLORITE, C12-14-ALKYL ETHER SULFATES

#### Biocide Labelling

This product contains substances with biocidal properties., Contains active substance: Sodium Hypochlorite, 4.37%, Read attached instructions before use.

#### Detergent labelling

< 5% anionic surfactants, < 5% chlorine-based bleaching agents, < 5% perfumes

#### Supplementary precautionary statements

P101 If medical advice is needed, have product container or label at hand.  
 P102 Keep out of reach of children.  
 P103 Read label before use.  
 P234 Keep only in original packaging.  
 P260 Do not breathe vapour/ spray.  
 P264 Wash contaminated skin thoroughly after handling.  
 P363 Wash contaminated clothing before reuse.  
 P390 Absorb spillage to prevent material damage.  
 P391 Collect spillage.

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

**CLEANLINE THICK BLEACH 5L**

<b>SODIUM HYPOCHLORITE</b> <span style="float: right;"><b>4.4%</b></span>		
CAS number: 7681-52-9	EC number: 231-668-3	REACH registration number: 01-2119488154-34-XXXX
M factor (Acute) = 10	M factor (Chronic) = 1	
<b>Classification</b> Met. Corr. 1 - H290 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		
<b>C12-14-ALKYL ETHER SULFATES</b> <span style="float: right;"><b>1-5%</b></span>		
CAS number: 68891-38-3	EC number: 500-234-8	REACH registration number: 01-2119488639-16-XXXX
<b>Classification</b> Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Chronic 3 - H412		
<b>SODIUM HYDROXIDE</b> <span style="float: right;"><b>&lt;1%</b></span>		
CAS number: 1310-73-2	EC number: 215-185-5	REACH registration number: 01-2119457892-27-XXXX
<b>Classification</b> Met. Corr. 1 - H290 Skin Corr. 1A - H314 Eye Dam. 1 - H318		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

**SECTION 4: First aid measures****4.1. Description of first aid measures**

<b>Inhalation</b>	Move affected person to fresh air at once. Get medical attention if any discomfort continues. Rinse nose and mouth with water.
<b>Ingestion</b>	Do not induce vomiting. Rinse mouth thoroughly with water. Give plenty of water to drink. Keep affected person under observation. Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel.
<b>Skin contact</b>	Remove contaminated clothing. Get medical attention if irritation persists after washing. Rinse immediately with plenty of water.
<b>Eye contact</b>	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing. Show this Safety Data Sheet to the medical personnel. Rinse immediately with plenty of water.

**4.2. Most important symptoms and effects, both acute and delayed**

<b>Inhalation</b>	The product is not believed to present a hazard due to its physical nature. Prolonged or repeated exposure may cause the following adverse effects: Irritation.
-------------------	---

## CLEANLINE THICK BLEACH 5L

<b>Ingestion</b>	This product is corrosive. May cause chemical burns in mouth and throat. May cause stomach pain or vomiting.
<b>Skin contact</b>	Causes severe burns. Prolonged contact causes serious tissue damage.
<b>Eye contact</b>	This product is corrosive. May cause chemical eye burns. Corneal damage. Severe irritation, burning, tearing and blurred vision.

### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	No specific recommendations. If in doubt, get medical attention promptly.
-----------------------------	---

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

<b>Suitable extinguishing media</b>	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Foam, carbon dioxide or dry powder.
-------------------------------------	---

<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.
---------------------------------------	--

### 5.2. Special hazards arising from the substance or mixture

<b>Specific hazards</b>	Contact with acids liberates toxic gas.
-------------------------	---

<b>Hazardous combustion products</b>	Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours. Chlorine. Hydrogen chloride (HCl). Oxides of carbon.
--------------------------------------	---

### 5.3. Advice for firefighters

<b>Protective actions during firefighting</b>	Control run-off water by containing and keeping it out of sewers and watercourses.
---	--

<b>Special protective equipment for firefighters</b>	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
--	---

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

<b>Personal precautions</b>	Avoid contact with skin, eyes and clothing. For personal protection, see Section 8.
-----------------------------	---

### 6.2. Environmental precautions

<b>Environmental precautions</b>	Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground.
----------------------------------	--

### 6.3. Methods and material for containment and cleaning up

<b>Methods for cleaning up</b>	Stop leak if safe to do so. Flush away spillage with plenty of water. Absorb spillage with non-combustible, absorbent material. Do not discharge into drains or watercourses or onto the ground. Absorb in vermiculite, dry sand or earth and place into containers. Do not use sawdust or other combustible material. Provide adequate ventilation. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.
--------------------------------	--

### 6.4. Reference to other sections

<b>Reference to other sections</b>	For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13.
------------------------------------	--

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

<b>Usage precautions</b>	Wear protective clothing as described in Section 8 of this safety data sheet. Avoid contact with skin and eyes. Avoid inhalation of vapours and spray/mists. Do not mix with acid.
--------------------------	--

## CLEANLINE THICK BLEACH 5L

### Advice on general occupational hygiene

Good personal hygiene procedures should be implemented. Do not eat, drink or smoke when using this product. Provide eyewash station. Wash promptly with soap and water if skin becomes contaminated. Wash contaminated clothing before reuse. Use appropriate skin cream to prevent drying of skin.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Storage precautions

Store in tightly-closed, original container in a dry, cool and well-ventilated place. Protect from light. Store away from the following materials: Acids. Store at temperatures between 5°C and 25°C. Keep out of the reach of children.

### 7.3. Specific end use(s)

#### Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

## SECTION 8: Exposure controls/Personal protection

### 8.1. Control parameters

#### Occupational exposure limits

#### SODIUM HYPOCHLORITE

Short-term exposure limit (15-minute): WEL 0.5 ppm 1.5 mg/m<sup>3</sup>

#### SODIUM HYDROXIDE

Short-term exposure limit (15-minute): WEL 2 mg/m<sup>3</sup>

WEL = Workplace Exposure Limit.

#### SODIUM HYPOCHLORITE (CAS: 7681-52-9)

#### DNEL

Industry - Inhalation; Long term local effects: 1.55 mg/m<sup>3</sup>  
 Industry - Inhalation; Long term systemic effects: 1.55 mg/m<sup>3</sup>  
 Industry - Inhalation; Short term local effects: 3.1 mg/m<sup>3</sup>  
 Industry - Inhalation; Short term systemic effects: 3.1 mg/m<sup>3</sup>  
 Consumer - Inhalation; Long term local effects: 1.55 mg/m<sup>3</sup>  
 Consumer - Inhalation; Long term systemic effects: 1.55 mg/m<sup>3</sup>  
 Consumer - Inhalation; Short term local effects: 3.1 mg/m<sup>3</sup>  
 Consumer - Inhalation; Short term systemic effects: 3.1 mg/m<sup>3</sup>  
 Consumer - Oral; Long term systemic effects: 0.26 mg/kg/day

#### PNEC

- Fresh water; 0.00021 mg/l  
 - marine water; 0.000042 mg/l  
 - Intermittent release; 0.00026 mg/l  
 - STP; 4.69 mg/l  
 - ;

#### C12-14-ALKYL ETHER SULFATES (CAS: 68891-38-3)

#### DNEL

Workers - Inhalation; Long term systemic effects: 175 mg/m<sup>3</sup>  
 Workers - Dermal; Long term systemic effects: 2750 mg/kg/day  
 Consumer - Inhalation; Long term systemic effects: 52 mg/m<sup>3</sup>  
 Consumer - Dermal; Long term systemic effects: 1650 mg/kg/day  
 Consumer - Oral; Long term systemic effects: 15 mg/kg/day

## CLEANLINE THICK BLEACH 5L

### PNEC

- Fresh water; 0.24 mg/l
- marine water; 0.024 mg/l
- Intermittent release; 0.071 mg/l
- Sediment, Fresh water; 0.917 mg/kg
- Sediment, marine water; 0.092 mg/kg
- Soil; 7.5 mg/kg
- STP; 10,000 mg/l

### SODIUM HYDROXIDE (CAS: 1310-73-2)

### DNEL

- Industry - Inhalation; Long term local effects: 1.0 mg/m<sup>3</sup>
- Consumer - Inhalation; Long term local effects: 1.0 mg/m<sup>3</sup>

## 8.2. Exposure controls

### Protective equipment



### Appropriate engineering controls

Provide adequate ventilation.

### Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses. Personal protective equipment for eye and face protection should comply with European Standard EN166.

### Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Polyvinyl chloride (PVC). Rubber (natural, latex). To protect hands from chemicals, gloves should comply with European Standard EN374.

### Other skin and body protection

Wear appropriate clothing to prevent repeated or prolonged skin contact. Use appropriate skin cream to prevent drying of skin.

### Hygiene measures

When using do not eat, drink or smoke. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Use appropriate skin cream to prevent drying of skin.

### Respiratory protection

Respiratory protection not required.

### Environmental exposure controls

Avoid releasing into the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Appearance	Viscous liquid.
Colour	Yellow. Clear.
Odour	Citrus. Chlorine.
Odour threshold	Not applicable.
pH	pH (concentrated solution): >11
Flash point	This product does not sustain combustion.

## CLEANLINE THICK BLEACH 5L

<b>Relative density</b>	1.070 typically @ 20°C
<b>Solubility(ies)</b>	Soluble in water.
<b>Viscosity</b>	300-450 cP @ 20°C
<b>Explosive properties</b>	There are no chemical groups present in the product that are associated with explosive properties.
<b>Explosive under the influence of a flame</b>	Not considered to be explosive.
<b>Oxidising properties</b>	There are no chemical groups present in the product that are associated with oxidising properties.
<b>Comments</b>	Information given is applicable to the product as supplied.

### 9.2. Other information

<b>Other information</b>	Not relevant.
--------------------------	---------------

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

<b>Reactivity</b>	The reactivity data for this product will be typical of those for the following class of materials: Acids. Alkalis. Oxidising materials.
-------------------	--

### 10.2. Chemical stability

<b>Stability</b>	Decomposes over time. Factors that increase the rate of decomposition: increase in temperature, certain metallic impurities, high initial concentration, fall in pH below 11 and exposure to light.
------------------	---

### 10.3. Possibility of hazardous reactions

<b>Possibility of hazardous reactions</b>	Generates toxic gas in contact with acid. Chlorine.
---	---

### 10.4. Conditions to avoid

<b>Conditions to avoid</b>	Avoid exposure to high temperatures or direct sunlight.
----------------------------	---

### 10.5. Incompatible materials

<b>Materials to avoid</b>	Acids. Ammonia. Organic compounds. Some metals. Nickel. Iron. Copper.
---------------------------	---

### 10.6. Hazardous decomposition products

<b>Hazardous decomposition products</b>	Chlorine. Hydrogen chloride (HCl). Oxides of the following substances: Chlorine. Hypochlorous acid. Sodium chlorate
---	---

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

<b>Toxicological effects</b>	Information given is based on data of the components and of similar products.
------------------------------	---

<b>Other health effects</b>	Does not contain any substances known to be carcinogenic.
-----------------------------	---

#### Acute toxicity - oral

<b>Notes (oral LD<sub>50</sub>)</b>	Based on available data the classification criteria are not met.
-------------------------------------	--

#### Acute toxicity - dermal

<b>Notes (dermal LD<sub>50</sub>)</b>	Based on available data the classification criteria are not met.
---------------------------------------	--

#### Acute toxicity - inhalation

## CLEANLINE THICK BLEACH 5L

<b>Notes (inhalation LC<sub>50</sub>)</b>	Based on available data the classification criteria are not met.
<b><u>Skin corrosion/irritation</u></b>	
<b>Skin corrosion/irritation</b>	Corrosive to skin.
<b><u>Serious eye damage/irritation</u></b>	
<b>Serious eye damage/irritation</b>	Corrosivity to eyes is assumed.
<b><u>Respiratory sensitisation</u></b>	
<b>Respiratory sensitisation</b>	Not sensitising. Based on available data the classification criteria are not met.
<b><u>Skin sensitisation</u></b>	
<b>Skin sensitisation</b>	Not classified. Based on available data the classification criteria are not met.
<b><u>Germ cell mutagenicity</u></b>	
<b>Genotoxicity - in vitro</b>	Does not contain any substances known to be mutagenic.
<b><u>Carcinogenicity</u></b>	
<b>Carcinogenicity</b>	Does not contain any substances known to be carcinogenic.
<b><u>Reproductive toxicity</u></b>	
<b>Reproductive toxicity - fertility</b>	Does not contain any substances known to be toxic to reproduction.
<b><u>Specific target organ toxicity - single exposure</u></b>	
<b>STOT - single exposure</b>	Not classified as a specific target organ toxicant after a single exposure.
<b><u>Specific target organ toxicity - repeated exposure</u></b>	
<b>STOT - repeated exposure</b>	Not classified as a specific target organ toxicant after repeated exposure.
<b>Inhalation</b>	The product is considered to be a low hazard under normal conditions of use. Prolonged or repeated exposure may cause the following adverse effects: Irritation.
<b>Ingestion</b>	Small amounts may cause serious damage. May cause chemical burns in mouth, oesophagus and stomach. Stomach pain. Nausea, vomiting. Diarrhoea.
<b>Skin contact</b>	Causes severe skin burns and eye damage. Prolonged or repeated exposure may cause the following adverse effects: Dryness and/or cracking. Redness. Irritation. Chemical burns.
<b>Eye contact</b>	Causes severe skin burns and eye damage. May cause temporary eye irritation. May cause chemical eye burns.

### Toxicological information on ingredients.

#### SODIUM HYPOCHLORITE

##### Acute toxicity - oral

**Acute toxicity oral (LD<sub>50</sub> mg/kg)** 8,910.0

**Species** Rat

**Notes (oral LD<sub>50</sub>)** REACH dossier information.

**ATE oral (mg/kg)** 8,910.0

##### Acute toxicity - dermal

**Acute toxicity dermal (LD<sub>50</sub> mg/kg)** 2,001.0



**CLEANLINE THICK BLEACH 5L**

<b>Species</b>	Rabbit
<b>ATE dermal (mg/kg)</b>	2,001.0
<b><u>Skin corrosion/irritation</u></b>	
<b>Animal data</b>	Corrosive to skin. REACH dossier information. Dose: LD50 = 20g/kg bw, 2 days, Rabbit
<b><u>Serious eye damage/irritation</u></b>	
<b>Serious eye damage/irritation</b>	Corrosivity to eyes is assumed.
<b><u>Respiratory sensitisation</u></b>	
<b>Respiratory sensitisation</b>	Not sensitising.
<b><u>Skin sensitisation</u></b>	
<b>Skin sensitisation</b>	Not sensitising.
<b><u>Germ cell mutagenicity</u></b>	
<b>Genotoxicity - in vivo</b>	REACH dossier information. Negative.
<b><u>Carcinogenicity</u></b>	
<b>Carcinogenicity</b>	Based on available data the classification criteria are not met.
<b><u>Reproductive toxicity</u></b>	
<b>Reproductive toxicity - fertility</b>	REACH dossier information. No evidence of reproductive toxicity in animal studies.

**SECTION 12: Ecological information**

**Ecotoxicity** The product contains a substance which is very toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.

**12.1. Toxicity**

**Toxicity** The product contains a substance which is harmful to aquatic organisms.

**Ecological information on ingredients.****SODIUM HYPOCHLORITE**

<b><u>Acute aquatic toxicity</u></b>	
<b>LE(C)<sub>50</sub></b>	0.01 < L(E)C50 ≤ 0.1
<b>M factor (Acute)</b>	10
<b>Acute toxicity - fish</b>	EC <sub>50</sub> , 96 hours: 0.01-0.1 mg/l,
<b>Acute toxicity - aquatic invertebrates</b>	EC <sub>50</sub> , 48 hours: 0.01-0.1 mg/l, Daphnia magna
<b>Acute toxicity - microorganisms</b>	LOEC, : 0.375 mg/l, Activated sludge
<b><u>Chronic aquatic toxicity</u></b>	
<b>NOEC</b>	0.001 < NOEC ≤ 0.01
<b>Degradability</b>	Rapidly degradable
<b>M factor (Chronic)</b>	1

## CLEANLINE THICK BLEACH 5L

### 12.2. Persistence and degradability

**Persistence and degradability** The product contains inorganic substances which are not biodegradable. May accumulate in soil and sediment. Substantially removed in biological treatment processes. The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.

#### Ecological information on ingredients.

##### SODIUM HYPOCHLORITE

<b>Stability (hydrolysis)</b>	Water - Half-life 10% NaOCL: 220 days @ 25°C - Half-life 5% NaOCL: 790 days @ 25°C REACH dossier information.
<b>Biodegradation</b>	The methods for determining the biological degradability are not applicable to inorganic substances.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential** No data available on bioaccumulation.

#### Ecological information on ingredients.

##### SODIUM HYPOCHLORITE

<b>Bioaccumulative potential</b>	Low potential for bioaccumulation.
<b>Partition coefficient</b>	log Kow: -3.4174 REACH dossier information.

### 12.4. Mobility in soil

**Mobility** The product is water-soluble and may spread in water systems.

#### Ecological information on ingredients.

##### SODIUM HYPOCHLORITE

<b>Henry's law constant</b>	0.076 @ 20°C
-----------------------------	--------------

### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

#### Ecological information on ingredients.

##### SODIUM HYPOCHLORITE

<b>Results of PBT and vPvB assessment</b>	This substance is not classified as PBT or vPvB according to current EU criteria.
---	---

### 12.6. Other adverse effects

**Other adverse effects** There is evidence that sodium hypochlorite inhibits the aerobic treatment process at a concentration of 0.05 mg/l.

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

## CLEANLINE THICK BLEACH 5L

**General information** When handling waste, the safety precautions applying to handling of the product should be considered.

**Disposal methods** Dispose of waste product or used containers in accordance with local regulations

### SECTION 14: Transport information

#### 14.1. UN number

UN No. (ADR/RID)	1760
UN No. (IMDG)	1760
UN No. (ICAO)	1760
UN No. (ADN)	1760

#### 14.2. UN proper shipping name

**Proper shipping name (ADR/RID)** CORROSIVE LIQUID, N.O.S. (CONTAINS SODIUM HYPOCHLORITE, AMINES, C12-14 - ALKYLDIMETHYL, N-OXIDES)

**Proper shipping name (IMDG)** CORROSIVE LIQUID, N.O.S. (CONTAINS SODIUM HYPOCHLORITE, AMINES, C12-14 - ALKYLDIMETHYL, N-OXIDES, 2-TERT-BUTYLCYCLOHEXYL ACETATE, BENZOPHENONE)

**Proper shipping name (ICAO)** CORROSIVE LIQUID, N.O.S. (CONTAINS SODIUM HYPOCHLORITE, AMINES, C12-14 - ALKYLDIMETHYL, N-OXIDES)

**Proper shipping name (ADN)** CORROSIVE LIQUID, N.O.S. (CONTAINS SODIUM HYPOCHLORITE, AMINES, C12-14 - ALKYLDIMETHYL, N-OXIDES)

#### 14.3. Transport hazard class(es)

ADR/RID class	8
ADR/RID classification code	C9
ADR/RID label	8
IMDG class	8
ICAO class/division	8
ADN class	8

#### Transport labels



#### 14.4. Packing group

ADR/RID packing group	III
IMDG packing group	III
ICAO packing group	III
ADN packing group	III

#### 14.5. Environmental hazards

## CLEANLINE THICK BLEACH 5L

Environmentally hazardous substance/marine pollutant



### 14.6. Special precautions for user

EmS	F-A, S-B
ADR transport category	3
Emergency Action Code	2X
Hazard Identification Number (ADR/RID)	80
Tunnel restriction code	(E)

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

<b>National regulations</b>	The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended). The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716). EH40/2005 Workplace exposure limits.
<b>EU legislation</b>	Commission Decision 2000/532/EC as amended by Decision 2001/118/EC establishing a list of wastes and hazardous waste pursuant to Council Directive 75/442/EEC on waste and Directive 91/689/EEC on hazardous waste with amendments. Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents (as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Commission Regulation (EU) No 453/2010 of 20 May 2010. Commission Regulation (EU) No 2015/830 of 28 May 2015.
<b>Guidance</b>	COSHH Essentials. ECHA Guidance on the Application of the CLP Criteria. ECHA Guidance on the compilation of safety data sheets.

### 15.2. Chemical safety assessment

A chemical safety assessment has been carried out. Sodium hypochlorite. and Sodium hydroxide.

## SECTION 16: Other information

## CLEANLINE THICK BLEACH 5L

<b>Abbreviations and acronyms used in the safety data sheet</b>	PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative. MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. PNEC: Predicted No Effect Concentration. DNEL: Derived No Effect Level.
<b>Revision comments</b>	NOTE: Lines within the margin indicate significant changes from the previous revision.
<b>Revision date</b>	12/03/2021
<b>Revision</b>	8
<b>Supersedes date</b>	22/02/2019
<b>SDS number</b>	20493
<b>Risk phrases in full</b>	R34 Causes burns. R50 Very toxic to aquatic organisms. R31 Contact with acids liberates toxic gas. R34 Causes burns. R38 Irritating to skin. R41 Risk of serious damage to eyes.
<b>Hazard statements in full</b>	H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.