

SAFETY DATA SHEET CLEANLINE OVEN & GRILL CLEANER 750ml

Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name CLEANLINE OVEN & GRILL CLEANER 750ml

Product number 800-277-0025

Internal identification CL1041

Container size 750mL

UFI: M0PK-KSSK-MP7T-Y449

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Detergent. Caustic oven cleaner.

Uses advised against Use only for intended applications.

1.3. Details of the supplier of the safety data sheet

Supplier PrimeSource,

PO BOX 15247, Birmingham, B23 3HN,

Tel: +44 (0) 8085 749 312

PrimeSource,

Unit D9, Horizon Logistics Park,

Swords, Co.Dublin, K67 N4T2, Ireland -

Tel: +353 (0)1 630 1800 info@prime-source.co.uk

Contact person info@prime-source.co.uk or TEL: – 08085 749312

1.4. Emergency telephone number

Emergency telephone Prime Source: 01865 407333 - FOR MEDICAL EMERGENCY USE ONLY

National emergency telephone In case of a medical emergency following exposure to a chemical call NHS Direct in England

number or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Met. Corr. 1 - H290

Health hazards Skin Corr. 1B - H314

Environmental hazards Not Classified

2.2. Label elements

Hazard pictograms



Signal word Danger

Hazard statements H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary statements P260 Do not breathe vapour/ spray.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/ doctor. P390 Absorb spillage to prevent material damage.

P406 Store in a corrosion-resistant container with a resistant inner liner. P501 Dispose of contents/ container in accordance with national regulations.

UFI UFI: M0PK-KSSK-MP7T-Y449

Contains SODIUM HYDROXIDE

Detergent labelling < 5% non-ionic surfactants

CLEANLINE OVEN & GRILL CLEANER 750ml

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

SODIUM HYDROXIDE 1-5%

CAS number: 1310-73-2 EC number: 215-185-5 REACH registration number: 01-

2119457892-27-XXXX

Classification

Met. Corr. 1 - H290 Skin Corr. 1A - H314 Eye Dam. 1 - H318

D-GLUCOPYRANOSE, OLIGOMERIC, C8-10 GLYCOSIDES 1-5%

CAS number: 68515-73-1 EC number: 500-220-1 REACH registration number: 01-

2119488530-36-XXXX

Classification

Eye Dam. 1 - H318

2-(2-BUTOXYETHOXY)ETHANOL 1-5%

CAS number: 112-34-5 EC number: 203-961-6 REACH registration number: 01-

2119475104-44-xxxx

Classification

Eye Irrit. 2 - H319

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information Get medical attention immediately. Provide eyewash station and safety shower.

Inhalation Remove affected person from source of contamination. Get medical attention immediately.

Ingestion Do not induce vomiting. Give plenty of water to drink. Get medical attention immediately.

Show this Safety Data Sheet to the medical personnel.

Skin contact Remove affected person from source of contamination. Remove contaminated clothing. Wash

skin thoroughly with soap and water. Get medical attention promptly if symptoms occur after

washing.

Eye contact Remove affected person from source of contamination. Remove any contact lenses and open

eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention

immediately. Continue to rinse.

Protection of first aiders First aid personnel should wear appropriate protective equipment during any rescue.

4.2. Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure. Chemical burns must be treated by a physician. Get medical attention

immediately.

CLEANLINE OVEN & GRILL CLEANER 750ml

Inhalation Severe irritation of nose and throat. May cause an asthma-like shortness of breath.

Ingestion This product is corrosive. Small amounts may cause serious damage. May cause chemical

burns in mouth, oesophagus and stomach.

Skin contact May cause serious chemical burns to the skin.

Eye contact This product is corrosive. A single exposure may cause the following adverse effects: Severe

irritation, burning, tearing and blurred vision. Prolonged contact causes serious eye and tissue

damage. Corneal damage.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically. Remove contaminated clothing immediately and wash skin with soap

and water.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

Foam, carbon dioxide or dry powder.

5.2. Special hazards arising from the substance or mixture

Specific hazards Contact with some metals eg. aluminium, zinc can produce flammable hydrogen.gas. May

generate heat.

Hazardous combustion

products

Aluminium. Zinc.

5.3. Advice for firefighters

Protective actions during

firefighting

Wear self-contained breathing apparatus with full facepiece.

Special protective equipment

for firefighters

Move containers from fire area if it can be done without risk. No specific firefighting

precautions applicable when small quantities are involved in the fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

For non-emergency personnel Avoid contact with skin, eyes and clothing. Evacuate area. Keep upwind to avoid inhalation of

gases, vapours, fumes and smoke. Wear self-contained breathing apparatus. PVC or rubber

gloves are recommended.

For emergency responders Keep unnecessary and unprotected personnel away from the spillage. For personal

protection, see Section 8.

6.2. Environmental precautions

Environmental precautions Avoid release to the environment. Avoid discharge into drains or watercourses or onto the

ground. Environmental Manager must be informed of all major spillages.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Small Spillages: Flush away spillage with plenty of water. Large Spillages: Stop leak if

possible without risk. Use water spray to reduce vapours. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Do not allow runoff to sewer, waterway or ground. Collect and place in suitable waste disposal containers and seal securely. Collect in containers and seal securely. Remove containers and flush area

with water.

CLEANLINE OVEN & GRILL CLEANER 750ml

6.4. Reference to other sections

Reference to other sections See Section 1 for emergency contact information. For personal protection, see Section 8. For

waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin, eyes and clothing. When using do not eat, drink or smoke. Provide Usage precautions

adequate ventilation. For personal protection, see Section 8. Wash hands thoroughly after

handling. Avoid release to the environment.

Advice on general occupational hygiene Good personal hygiene procedures should be implemented.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a well-ventilated place. Store away from the

following materials: Acids. Oxidising materials.

Storage class Corrosive storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

SODIUM HYDROXIDE

Short-term exposure limit (15-minute): WEL 2 mg/m³

2-(2-BUTOXYETHOXY)ETHANOL

Long-term exposure limit (8-hour TWA): WEL 10 ppm 67.5 mg/m³ Short-term exposure limit (15-minute): WEL 15 ppm 101.2 mg/m³

WEL = Workplace Exposure Limit.

SODIUM HYDROXIDE (CAS: 1310-73-2)

DNEL Industry - Inhalation; Long term local effects: 1.0 mg/m³

Consumer - Inhalation; Long term local effects: 1.0 mg/m3

D-GLUCOPYRANOSE, OLIGOMERIC, C8-10 GLYCOSIDES (CAS: 68515-73-1)

DNEL Workers - Inhalation; Long term systemic effects: 420 mg/m³

> Workers - Dermal; Long term systemic effects: 595000 mg/kg/day General population - Inhalation; Long term systemic effects: 124 mg/m³ General population - Dermal; Long term systemic effects: 357000 mg/kg General population - Oral; Long term systemic effects: 35.7 mg/kg

PNEC - Fresh water; 0.176 mg/l

- marine water; 0.0176 mg/l - Intermittent release; 0.27 mg/l

- STP; 560 mg/l

- Sediment (Freshwater); 1.516 mg/l - Sediment (Marinewater); 0.152 mg/l

2-(2-BUTOXYETHOXY)ETHANOL (CAS: 112-34-5)

DNEL Workers - Inhalation; Long term systemic effects: 67.5 mg/m³

Workers - Inhalation; Long term local effects: 67.5 mg/m³ Workers - Dermal; Long term systemic effects: 20 mg/kg/day

General population - Inhalation; Long term systemic effects: 34 mg/m³ General population - Inhalation; Long term local effects: 34 mg/m³ General population - Inhalation; Short term local effects: 34 mg/m³ General population - Inhalation; Short term local effects: 50.6 mg/m³ General population - Dermal; Long term systemic effects: 10 mg/kg/day General population - Oral; Long term systemic effects: 1.25 mg/kg/day

PNEC - Fresh water; 1 mg/l

- marine water; 0.1 mg/l

- Intermittent release; 3.9 mg/l

- STP; 200 mg/l

Sediment (Freshwater); 4 mg/kgSediment (Marinewater); 0.4 mg/kg

- Soil; 0.4 mg/kg

8.2. Exposure controls

Protective equipment





Appropriate engineering

controls

Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational

exposure limits for the product or ingredients.

Eye/face protection Wear tight-fitting, chemical splash goggles or face shield.

Hand protection Wear protective gloves. Neoprene. Nitrile rubber. Polyethylene. Polyvinyl chloride (PVC).

Other skin and body

protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures Provide eyewash station and safety shower. Wash at the end of each work shift and before

eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly

remove any clothing that becomes contaminated.

Respiratory protectionNo specific recommendations. Respiratory protection must be used if the airborne

contamination exceeds the recommended occupational exposure limit. Particulate filter, type

P2. Particulate filters should comply with European Standard EN143.

Environmental exposure

controls

Avoid releasing into the environment. Residues and empty containers should be taken care of

as hazardous waste according to local and national provisions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colour Colourless.

Odour Unperfumed.

pH (concentrated solution): >11.5

Relative density 1.060-1.080 @ 20°C

Soluble in water.

CLEANLINE OVEN & GRILL CLEANER 750ml

Explosive propertiesThere are no chemical groups present in the product that are associated with explosive

properties.

Explosive under the influence

of a flame

Not considered to be explosive.

Oxidising properties The mixture itself has not been tested but none of the ingredient substances meet the criteria

for classification as oxidising.

Comments Information given is applicable to the product as supplied.

9.2. Other information

Other information Not relevant.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Reactions with the following materials may generate heat: Strong acids. In contact with some

metals can generate hydrogen gas, which can form explosive mixtures with air. Avoid contact

with the following materials: Aluminium. Zinc. Tin.

10.2. Chemical stability

Stability Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

The following materials may react violently with the product: Chlorohydrocarbons. Acids.

Reactions with the following materials may generate heat:

10.4. Conditions to avoid

Conditions to avoid Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

Materials to avoid Acids. Ammonia. Chlorinated hydrocarbons. Aluminium. Tin. Zinc.

10.6. Hazardous decomposition products

Hazardous decomposition

Hydrogen.

products

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects Information given is based on data of the components and of similar products.

Other health effects There is no evidence that the product can cause cancer.

Acute toxicity - oral

Notes (oral LD₅o) Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Skin corrosion/irritation Corrosive to skin and eyes. Calculation method.

Extreme pH ≥ 11.5 Corrosive to skin.

CLEANLINE OVEN & GRILL CLEANER 750ml

Serious eye damage/irritation

Serious eye damage/irritation Corrosivity to eyes is assumed.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisationBased on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitroDoes not contain any substances known to be mutagenic.

Carcinogenicity

Carcinogenicity Does not contain any substances known to be carcinogenic.

Reproductive toxicity

Reproductive toxicity - fertility Does not contain any substances known to be toxic to reproduction.

Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

General information Corrosive to skin and eyes.

Inhalation Spray/mists may cause respiratory tract irritation. A single exposure may cause the following

adverse effects: Coughing. Difficulty in breathing. May cause damage to mucous membranes

in nose, throat, lungs and bronchial system.

Ingestion May cause burns in mucous membranes, throat, oesophagus and stomach.

Skin contact May cause serious chemical burns to the skin. Repeated exposure may cause skin dryness or

cracking.

Eye contact Causes burns. A single exposure may cause the following adverse effects: Corneal damage.

Contact with concentrated chemical may very rapidly cause severe eye damage, possibly loss

of sight.

Toxicological information on ingredients.

SODIUM HYDROXIDE

Acute toxicity - oral

Acute toxicity oral (LD₅₀

2,000.0

mg/kg)

Species Rat

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 2,000.1

mg/kg)

Species Rabbit

Skin corrosion/irritation

Skin corrosion/irritation Burning pain and severe corrosive skin damage.

Serious eye damage/irritation

CLEANLINE OVEN & GRILL CLEANER 750ml

Serious eye damage/irritation

Causes serious eye damage.

Skin sensitisation

Skin sensitisation Not sensitising.

SECTION 12: Ecological information

Ecotoxicity There are no data on the ecotoxicity of this product.

Ecological information on ingredients.

SODIUM HYDROXIDE

Ecotoxicity The product components are not classified as environmentally hazardous.

However, large or frequent spills may have hazardous effects on the environment.

12.1. Toxicity

Toxicity The product may affect the acidity (pH) of water which may have hazardous effects on aquatic

organisms.

Acute aquatic toxicity

Acute toxicity - aquatic plants May cause long lasting harmful effects to aquatic life.

Acute toxicity - terrestrial Can cause damage to vegetation.

Ecological information on ingredients.

SODIUM HYDROXIDE

Acute aquatic toxicity

Acute toxicity - fish REACH dossier information.

LC₅₀, 96 hours: < 180 mg/l, Freshwater fish

Acute toxicity - aquatic

invertebrates

EC₅₀, 48 hours: 40.4 mg/l, Freshwater invertebrates

Chronic aquatic toxicity

Chronic toxicity - fish early Not available.

life stage

Chronic toxicity - aquatic

Not available.

invertebrates

12.2. Persistence and degradability

Persistence and degradability Degrades very slowly in nature.

Ecological information on ingredients.

SODIUM HYDROXIDE

Persistence and degradability

The product contains inorganic substances which are not biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential The product is not bioaccumulating.

Ecological information on ingredients.

SODIUM HYDROXIDE

Bioaccumulative potential No data available on bioaccumulation.

12.4. Mobility in soil

Mobility The product is water-soluble and may spread in water systems.

Ecological information on ingredients.

SODIUM HYDROXIDE

Mobility The product is soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

This product does not contain any substances classified as PBT or vPvB.

assessment

Ecological information on ingredients.

SODIUM HYDROXIDE

Results of PBT and vPvB assessment

This substance is not classified as PBT or vPvB according to current EU criteria.

12.6. Other adverse effects

Ecological information on ingredients.

SODIUM HYDROXIDE

Other adverse effects Not determined.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Waste is classified as hazardous waste. Dispose of waste to licensed waste disposal site in

accordance with the requirements of the local Waste Disposal Authority. When handling waste, the safety precautions applying to handling of the product should be considered.

Disposal methodsThe packaging must be empty (drop-free when inverted). Wash with plenty of water. Dispose

of waste via a licensed waste disposal contractor. Reuse or recycle products wherever

possible.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 1824

UN No. (IMDG) 1824

UN No. (ICAO) 1824

UN No. (ADN) 1824

14.2. UN proper shipping name

Proper shipping name

SODIUM HYDROXIDE SOLUTION

(ADR/RID)

Proper shipping name (IMDG) SODIUM HYDROXIDE SOLUTION

Proper shipping name (ICAO) SODIUM HYDROXIDE SOLUTION

Proper shipping name (ADN) SODIUM HYDROXIDE SOLUTION

14.3. Transport hazard class(es)

ADR/RID class 8

ADR/RID classification code C5

ADR/RID label 8

IMDG class 8

ICAO class/division 8

ADN class 8

Transport labels



14.4. Packing group

ADR/RID packing group II

IMDG packing group II

ICAO packing group

ADN packing group

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

IMDG Code segregation 18. Alkalis

group

EmS F-A, S-B

ADR transport category 2

Emergency Action Code 2R

Hazard Identification Number 80

(ADR/RID)

Tunnel restriction code (E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

CLEANLINE OVEN & GRILL CLEANER 750ml

National regulations The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as

amended).

Control of Pollution (Special Waste) Regulations 1980 (as amended).

The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment

Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].

EH40/2005 Workplace exposure limits. The Hazardous Waste Regulations 2005.

EU legislation Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as

Commission Regulation (EU) No 453/2010 of 20 May 2010.

Commission Decision 2000/532/EC as amended by Decision 2001/118/EC establishing a list of wastes and hazardous waste pursuant to Council Directive 75/442/EEC on waste and

Directive 91/689/EEC on hazardous waste with amendments. Commission Regulation (EU) No 2015/830 of 28 May 2015.

Guidance COSHH Essentials.

Technical Guidance WM2: Hazardous Waste.

ECHA Guidance on the Application of the CLP Criteria. ECHA Guidance on the compilation of safety data sheets.

Workplace Exposure Limits EH40.

15.2. Chemical safety assessment

No information available.

SECTION 16: Other information

used in the safety data sheet STOT RE = Specific target organ toxicity-repeated exposure

PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative.

PNEC: Predicted No Effect Concentration.

DNEL: Derived No Effect Level.

General information Only trained personnel should use this material.

Revision comments New revision number applied to comply with Commission Regulation (EU) No 2015/830 Of

28 May 2015' NOTE: Lines within the margin indicate significant changes from the previous

revision.

Revision date 04/05/2021

Revision 4

Supersedes date 12/03/2021

SDS number 21303

Hazard statements in full H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H319 Causes serious eye irritation.